


METAL COPING
 REF. DETAIL R-13 FOR
 ALTERNATE TERMINATIONS

FLEX-FLASH UN w/BONDING ADHESIVE
 FLEX FLASH MB, SIKALASTIC RAPID,
 OR OTHER APPROVED FLASHING (R-12B)

HYDROFLEX 30
 SEPARATION SHEET OR
 OTHER APPROVED PROTECTION

APPROPRIATE SURFACING-
 STONE OR PAVER BALLAST,
 HYDROGUARD, GARDEN ROOF

MONOLITHIC MEMBRANE
 6125-FR



3"
 MIN.
 BEYOND EDGE OF
 BENT METAL CORNER

SIKALASTIC RAPID 724
 RESIN W/SIKALASTIC
 RAPID FLEECE PMMA
 (SEE NOTE 3)

FLEX-FLASH UN

3" MIN.

FLEX-FLASH MB

FLEX-FLASH UN

3"

(REF. DETAIL R-12 FOR ALTERNATE
 CORNER TRANSITIONS)

NOTES:

1. BENT SHEET METAL CORNER MUST BE OF SUFFICIENT GAUGE AND SECURED TO THE DECK AND WALL SUFFICIENTLY TO PREVENT BUCKLING.
2. FLEX-FLASH UN MUST BE USED TO REINFORCE MM6125 OVER THE BENT METAL CORNER.
3. METAL SUBSTRATE REQUIRE ROUGHENING/SANDING, IN ADDITION TO WIPING W/SURFACE CONDITIONER FOR PROPER ADHESION OF MM6125. ALSO, IT MUST BE FREE OF ALL OIL AND RUST.
4. SIKALASTIC RAPID RESIN MUST EXTEND 4" MIN. ONTO THE APPROVED SUBSTRATE BEYOND THE MM6125 TERMINATION.

BUILDING TRUST
 312-337-4998



TYPICAL PARAPET
 AT PRECAST WALL

SCALE:

N.T.S.

DATE:

03-2026

FILE NO.:

MM6125

DRW. NO.:

R-11D

AS A MEMBRANE MANUFACTURER, SIKA CORPORATION ("SIKA") REVIEWS DETAILS PREPARED BY THE CONSULTANT, ARCHITECT AND/OR ENGINEER FOR A PROJECT SOLELY FOR THE PURPOSE OF DETERMINING IF A SIKA WARRANTY MAY ISSUE FOR THE PROJECT. THIS REVIEW IS NOT TO BE CONSTRUED AS APPROVAL OF DETAILS BY SIKA AND IS NOT BEING CONDUCTED IN LIEU OF SOUND ENGINEERING AND ARCHITECTURAL PRACTICES AND JUDGMENT AND SHOULD NOT BE RELIED UPON FOR THAT PURPOSE. SIKA CORPORATION ASSUMES NO LIABILITY WITH RESPECT TO THE DESIGN OF THE ROOFING OR WATERPROOFING SYSTEM. THE ARCHITECT, CONSULTANT AND/OR ENGINEER OR DESIGN PROFESSIONAL FOR A PARTICULAR PROJECT BEARS THE SOLE RESPONSIBILITY FOR THE DESIGN OF THE ROOFING OR WATERPROOFING SYSTEM, FOR THE PREPARATION AND APPROVAL OF THE DETAILS AND SHOP DRAWINGS, AND FOR DETERMINING THEIR SUITABILITY FOR A PARTICULAR PROJECT OR APPLICATION. WHILE SIKA PROVIDES GENERAL INSTRUCTIONS FOR THE INSTALLATION OF ITS MEMBRANE AS WELL AS TRAINING FOR SIKA AUTHORIZED APPLICATORS, THE MEANS AND METHODS USED BY THE CONTRACTOR FOR SURFACE PREPARATION AS WELL AS THE MEANS AND METHODS EMPLOYED BY THE CONTRACTOR IN THE INSTALLATION OF THE SIKA MEMBRANE ARE THE RESPONSIBILITY OF THE CONTRACTOR. ALL SALE OF SIKA PRODUCTS AND SERVICES ARE SUBJECT TO SIKA'S TERMS AND CONDITIONS OF SALE AVAILABLE AT HYDROTECHUSA.COM.